



**CONTAINER SYSTEMS**

WEZ Containers and Accessories	66-72
Container Inserts and Dividers	69,72
Conductive Fibreboard Containers	73
Corstat Collapsible Boxes	72
Corstat Stacking Boxes	73
Container Trolleys	68



**PCB HANDLING**

PCB Racks	76,98
Adjustable PCB Racks	70-71,77
Corstat Transit Packs	81
Adjustable PCB Trolleys	92-93



**COMPONENT STORAGE**

Component Boxes	78-81
Parts Bins (Plastiboxes)	77,79,98
Conductive Foam	85
Small Parts Drawer Cabinets	86-89
Reel Racks and Trolleys	90-91



**PACKAGING PRODUCTS**

Shielding Bags	82
Moisture Barrier Bags	82
Pink Low-Charging Bags	83
Pink Bubble-Wrap	83
Desiccant Sachets and Indicator Cards	83
Refuse Bags	83
Tapes	84
Labels	84



**SHELVING SYSTEMS**

Bin Racks	79
Wire Mesh Shelving	101
Plated Shelving	101-104
Widespan Shelving	103

**TROLLEY SYSTEMS**

Container Trolleys	68
Component Reel Trolleys	91
Adjustable PCB Trolleys	92-93
Shelf Trolleys	94,95,100,101
Louved Panel Trolley System	96-99
Bin Storage Trolleys	99
Wire Mesh Trolleys	101

300 x 200mm Containers



- Conductive polypropylene injection moulded containers from the WEZ range, together with a comprehensive selection of accessories for the safe storage, handling and transportation of static sensitive PCBs and other assemblies.

## Standard Ribbed Base Containers

Will interstack with larger, smaller and same size containers

400 x 300mm Containers



External Stacked (mm)	Overall Ht. (mm)	Internal** (mm)	Order Code
300 x 200 x 44	53	260 x 160 x 41	PCC-3204
300 x 200 x 88	100	260 x 160 x 85	PCC-3208
300 x 200 x 133	145	260 x 160 x 130	PCC-3213
400 x 300 x 44	54	360 x 260 x 41	PCC-4304
400 x 300 x 88	100	360 x 260 x 85	PCC-4308
400 x 300 x 133	145	360 x 260 x 130	PCC-4313
400 x 300 x 200	212	360 x 260 x 197	PCC-4320
400 x 300 x 266	278	360 x 260 x 262	PCC-4326
400 x 300 x 320	332	360 x 260 x 316	PCC-4332
600 x 400 x 44	66	560 x 360 x 41	PCC-6404
600 x 400 x 88	100	560 x 360 x 85	PCC-6408
600 x 400 x 133	145	560 x 360 x 129	PCC-6413
600 x 400 x 200	212	560 x 360 x 196	PCC-6420
600 x 400 x 266	278	560 x 360 x 262	PCC-6426
600 x 400 x 320	332	560 x 360 x 316	PCC-6432
600 x 400 x 400	412	560 x 360 x 396	PCC-6440

600 x 400mm Containers



## Flat Base Containers

Will stack onto larger or same size containers; suitable for roller conveyors



External Stacked (mm)	Overall Ht. (mm)	Internal** (mm)	Order Code
200 x 150 x 133	145	155 x 106 x 142	PCC-2113-F
300 x 200 x 88	100	254 x 154 x 96	PCC-3208-F
300 x 200 x 133	145	254 x 154 x 141	PCC-3213-F
400 x 300 x 44	53	354 x 254 x 49	PCC-4304-F
400 x 300 x 88	100	354 x 254 x 96	PCC-4308-F
400 x 300 x 133	145	354 x 254 x 141	PCC-4313-F
400 x 300 x 200	212	354 x 254 x 208	PCC-4320-F
400 x 300 x 266	278	354 x 254 x 274	PCC-4326-F
400 x 300 x 320	332	360 x 260 x 328	PCC-4332-F
600 x 400 x 88	100	554 x 354 x 96	PCC-6408-F
600 x 400 x 133	145	554 x 354 x 141	PCC-6413-F
600 x 400 x 200	212	554 x 354 x 208	PCC-6420-F
600 x 400 x 266	278	554 x 354 x 273	PCC-6426-F
600 x 400 x 320	332	560 x 360 x 327	PCC-6432-F
600 x 400 x 400	412	554 x 354 x 407	PCC-6440-F

\*\* The internal height is reduced by 12mm when boxes are stacked without lids.

## Handle

Carrying handle for fitting to containers; 2-10mm holes are required at 100mm centres.

Dims. (mm)	Order Code
Drop Handles - Loose	PCC-HAN
Drop Handles - Fitted	PCC-HAN-F
Snap Handle *	PCC-HAN-S

\*Not illustrated



## Fixing Accessories

Description	Order Code
Nylon Latch for the temporary fitting of extension frames etc.	
Nylon Latch	NYLATCH
Spring Steel Clip for retaining frames and other accessories.	
UK Clips	UK-CLIP



## Lids

Lids are available in three types, hinged with two swing latches, with four swing latches or loose.


Dims. (mm)	Order Code
<b>300 x 200mm</b>	
Hinged with swing latches	LCH-3020
Swing Latches	LCS-3020
Loose	LCL-3020
<b>400 x 300mm</b>	
Hinged with swing latches	LCH-4030
Swing Latches	LCS-4030
Loose	LCL-4030
Hinged with document holder A4 size. Ideal for operating manuals etc.	LCH-4030-D
<b>600 x 400mm</b>	
Hinged with swing latches	LCH-6040
Swing Latches	LCS-6040
Loose	LCL-6040



## Extension Frames

For fitting to 400 x 300mm and 600 x 400mm containers to increase the depth in multiples of 44mm.

Dims. (mm)	Order Code
<b>400 x 300mm</b>	
Loose	EXF-4030
Nylatches	EXF-4030-N
UK Clips	EXF-4030-U
<b>600 x 400mm</b>	
Loose	EXF-6040
Nylatches	EXF-6040-N
UK Clips	EXF-6040-U



## Wez Labelling System



Description	Order Code
Document Clips	
Riveted type - loose	DOC-RIV
Riveted type - fitted	DOC-RIV-F
Snap on type	DOC-CLIP



Description	Order Code
Document Pocket Height 90mm. For document widths up to 210mm. Supplied with UK fixing clips. Available in conductive (black) or transparent	
Conductive 210 x 90	WDP-013
Transparent 210 x 90	WDP-046



Description	Order Code
Self Adhesive Document Pocket Height 44mm for document widths up to 210mm. Available in conductive (black) or transparent.	
Conductive 210 x 44	WDP-085
Transparent 210 x 44	WDP-086



Description	Order Code
Flexible Document Pouch	
Available in two sizes - transparent	
Self Adhesive 83 x 115	WDP-050
Self Adhesive 115 x 156	WDP-039

Tel: 01384 898599

Fax: 01384 898577

Email: [sse@static-safe.co.uk](mailto:sse@static-safe.co.uk)

Web: [www.static-safe.co.uk](http://www.static-safe.co.uk) (download price list)





## Carrying Cases

Assembled carrying cases with hinged lid and handle, using flat based containers.

External (mm)	Internal (mm)	Order Code
300 x 200 x 63	260 x 160 x 39	WCC-3204
300 x 200 x 110	254 x 154 x 95	WCC-3208
300 x 200 x 154	254 x 154 x 139	WCC-3213
400 x 300 x 63	354 x 254 x 48	WCC-4304
400 x 300 x 110	354 x 254 x 95	WCC-4308
400 x 300 x 154	354 x 254 x 139	WCC-4313
400 x 300 x 221	354 x 254 x 206	WCC-4320
400 x 300 x 287	354 x 254 x 272	WCC-4326
600 x 400 x 111	554 x 354 x 95	WCC-6408
600 x 400 x 155	554 x 354 x 139	WCC-6413
600 x 400 x 221	554 x 354 x 206	WCC-6420
600 x 400 x 288	554 x 354 x 272	WCC-6426

Lids can be printed with your company name or logo. Please ask for a quotation.



## Plated Steel Container Trolley

Designed to accommodate standard WEZ containers 600 x 400mm and 400 x 300mm, of plated steel construction with 2 conductive castors and 2 braked standard castors. Rails are adjustable on 25mm centres. Trolley size: 1500h x 500w x 600d (mm)



## Anodised Aluminium Container Trolley

Designed to accommodate standard WEZ containers 600 x 400mm and 400 x 300mm, constructed from anodised aluminium extrusions with 2 conductive castors and 2 braked standard castors. Rails are adjustable on 50mm centres. Trolley size: 1400 or 1700h x 470w x 650d mm



Description	Order Code
Levels/Centres (mm)	
<b>1400 High</b>	
12 @ 100	ACT-14-100
8 @ 150	ACT-14-150
6 @ 200	ACT-14-200
4 @ 300	ACT-14-300

<b>1700 High (mm)</b>	
16 @ 100	ACT-17-100
10 @ 150	ACT-17-150
8 @ 200	ACT-17-200
5 @ 300	ACT-17-300

Description	Order Code
Levels/Centres (mm)	
12 @ 100	SCT-05-100
8 @ 150	SCT-05-150
6 @ 200	SCT-05-200
4 @ 300	SCT-05-300

## Container Sub-Division

**Insert Boxes** for use with 400 x 300mm containers, these trays can also be used independently and will inter-stack.

**Push-on Lid Boxes** These boxes can be sub-divided into two to four compartments and 10 will fill a 600 x 400mm container.

**Insert Boxes** for 600 x 400mm containers, these trays can also be used independently and will inter-stack.



External Dims. (mm)	Order Code
Conductive Black:	
64 x 89 x 55	IBV-0609
128 x 89 x 55	IBV-1309
128 x 178 x 55	IBV-1318
Plain Labels for the above trays. Packs of 100.	
55 x 9.5	IBV-LAB



External Dims. (mm)	Order Code
Box - 179 x 112 x 55	WPB-1711
Push-on Lid	WPB-1711-L
Divider	WPB-1711-D

External Dims. (mm)	Order Code
137 x 87 x 110	IBV-1308
174 x 137 x 110	IBV-1713
274 x 174 x 110	IBV-2717
350 x 274 x 110	IBV-3527
550 x 87 x 110	IBV-5508
550 x 174 x 110	IBV-5517

## PCB Holders

Injection moulded from conductive polypropylene, these panels have a grid of slots to support small PCBs in production and storage. Designed to fit into the base of standard WEZ containers, these holders can also be used as free standing racks.

External Dims. (mm)	Order Code
Conductive	
257 x 357 x 14	PCH-2535
357 x 557 x 22	PCH-3555



Printorama Frame - fits onto the top of WEZ containers.

## WEZ Printorama System

A comprehensive system of frames and adjustable dividers from the WEZ range, injection moulded from conductive polypropylene, to provide PCB location facilities in standard 600 x 400 and 400 x 300mm containers. Please ask for a full list of options available.

PLEASE CALL FOR A QUOTATION ON THIS PRODUCT

**Printorama Secondo**  
- fits into the base of WEZ containers.




Full WEZ Catalogue available on request



## WEZ-Rack

A system of slotted walls, injection moulded from conductive polypropylene, which clamp to aluminium rails to provide PCB location facilities in standard 600 x 400mm and 400 x 300mm containers or for use as free standing racks.

Dims. (mm)	Order Code
<b>SINGLE DEPTH RACK WALLS</b>	
<b>Slotted Wall - No Backstop</b>	
255 x 180 x 22	WRW-300S
355 x 180 x 22	WRW-400S
555 x 180 x 22	WRW-600S
<b>Slotted Wall - 2.5mm Backstop</b>	
255 x 180 x 22	WRW-322S
355 x 180 x 22	WRW-422S
<b>Slotted Wall - 4mm Backstop</b>	
555 x 180 x 25	WRW-625S
<b>Slotted Wall - 7.5mm Backstop</b>	
355 x 180 x 32	WRW-432S



Dims. (mm)	Order Code
<b>DOUBLE DEPTH RACK WALLS</b>	
<b>Slotted Wall - No Backstop</b>	
255 x 345 x 22	WRW-300D
355 x 345 x 22	WRW-400D
555 x 345 x 22	WRW-600D
<b>Slotted Wall - 2.5mm Backstop</b>	
255 x 345 x 22	WRW-322D
355 x 345 x 22	WRW-422D
<b>Slotted Wall - 4mm Backstop</b>	
555 x 345 x 25	WRW-625D
<b>Slotted Wall - 7.5mm Backstop</b>	
355 x 345 x 32	WRW-432D
<b>Aluminium Rail</b>	
Rails can be cut to length to customers requirements.	
256	WRR-0256
356	WRR-0356
556	WRR-0556S
3450	WRR-3450



**Order Code**  
Flexible Handle  
Handle WR-HAN



**Order Code**  
Rail Handle Locks into aluminium rails.  
Handle WRR-HAN



**Order Code**  
Labelling Cards  
Pack of 20 WR-LAB



**Order Code**  
Blanking Clips To close off individual slots.  
Pack of 10 WR-CLIP

### WEZ-RACK Wall Types:



**No Backstop.** Available in all sizes.



**2.5mm Backstop.** Available with 255 and 355mm walls only.



**4mm Backstop.** Available with 555mm walls only.



**7.5mm Backstop.** Available with 355mm walls only.

## WEZ-Rack 100

A sturdy system comprising non-flexing single sided partitions 100mm in depth, designed for use in WEZ containers to provide fast and easy settings for PCB storage.

Ideal for small and narrow PCBs.

Dims. (mm)	Order Code
<b>Single Rack Adjustable Walls with Backstop</b>	
Slot Pitch: 10mm Slot Width: 3.5mm	
Slot Depth: 2.5mm.	
255 x 100 x 22 (20 slots)	WRW-1300
355 x 100 x 22 (30 slots)	WRW-1400
<b>Aluminium Rails</b> Rails can be cut to customer requirements.	
156	WRR-1156
256	WRR-1256
356	WRR-1356
556	WRR-1556
<b>Slot Clip</b> For closing off slots.	
	WRC-100



## Foam Inserts

Dims. (mm)	Order Code
<b>Pink antistatic foam</b>	
255 x 355 x 30	PFI-2535
355 x 555 x 30	PFI-3555
<b>Low density conductive soft foam</b>	
260 x 160 x 6	CFI-2616-6
360 x 260 x 6	CFI-3626-6
560 x 360 x 6	CFI-5636-6
260 x 160 x 15	CFI-2616-15
360 x 260 x 15	CFI-3626-15
560 x 360 x 15	CFI-5636-15



## Machined Foam Inserts

Where a high level of mechanical protection is required for expensive, complex assemblies, conductive machined foam provides an excellent solution. The material is a conductive EVA foam, in a range of densities. A modest charge for programming is made and, to save costs, prototypes are normally machined from non-conductive foam for dimensional checking. WEZ containers and lids provide an effective outer case for transport and storage.

For details of the range of WEZ conductive containers refer to page 66.



## Injection Moulded Divider Strips

Manufactured from conductive polypropylene in five sizes to suit WEZ containers.

Dim (mm)	Slot Pitch	Order Code
<b>Interlocking Divider Strips Conductive black</b>		
258 x 100	32	WDI-2610
358 x 100	32	WDI-3610
558 x 100	37	WDI-5610
358 x 200	68	WDI-3620
558 x 200	76	WDI-5620




Manufactured from conductive polypropylene for cutting to any required size.

Dim (mm)	Slot Pitch	Order Code
<b>Custom Divider Strips Conductive black</b>		
1100 x 45	14	WCD-1145
1100 x 88	14	WCD-1188

For additional container dividers and inserts refer to page 94.



## Corriplast Container Dividers



A standard interlocking divider system, manufactured from conductive Corriplast, providing an economical solution for the sub-division of WEZ containers. (See page 66)

Use as follows:-

255mm long in 300mm container size

355mm long in 400mm container size

554mm long in 600mm container size

Dims.(mm)	Description	Order Code
78x255x3	7 slots at 30mm spacing	COR-SP-2078
78x355x3	11 slots at 27mm spacing	COR-SP-3078
78x554x3	16 slots at 30mm spacing	COR-SP-5078
168x255x3	7 slots at 30mm spacing	COR-SP-2168
168x355x3	11 slots at 27mm spacing	COR-SP-3168
168x554x3	16 slots at 30mm spacing	COR-SP-5168

